



**Wireless Charger 2024**

**Shenzhen EPQI Technology Co., Ltd.**

**深圳市亿品奇科技有限公司**

- A leading Wireless Charging Solution

# Qi2 Semiconductor cooling Wireless Charger



**Model: EC810F Qi ID: 21714**

## Features


- Semiconductor refrigerating panel(front): Instant cooling
- Cooling fan(back)
- Magnetic suction
- LED RGB colorful light
- Sensor working control(only refrigerating & cooling during charging)
- **3 Combos:**
  - (1) Wireless Car Charger (2) Wireless Charger (3) Live Broadcast charger



## Specification

- Product material: Aluminium alloy + ABS/PC
- Input interface:TYPE-C
- Power input: PD/QC3.0 9V/3A
- Working frequency: 110-205Khz
- Conversion efficiency: > 80%
- Charging distance: 3-6 mm
- Wireless charging power: 15W
- Dimensions:  $\Phi 60 \times 30$  mm/ $\Phi 60 \times 45.6$  mm

# Qi2 5 In 1 Wireless Charger



**Model: EC09 Qi ID: 21640**

## Features

- 3 In 1: Charge phone, watch, airpod simultaneously
- Time & Alarm display
- Magnetic suction
- Touch LED light
- 15W wireless fast charging

## Specification

- Dimensions: 203\*93\*130 mm
- 1.Input: TYPE-C
- 2.Input voltage/current: 9V-3A, 12V/2.5A
- 3.Wireless charging power:15/10W/7.5W/5W
- 4.Apple/Samsung Watch output power: 1-3W
- 5.Airpod/Galaxy bud wireless charger position: 5W
- 6.Working frequency: 110-205Khz

# Qi2 4 In 1 Wireless Charger



**Model: EC16 Qi ID: 21639**

## Features

- 3 In 1: Charge phone, watch, airpod simultaneously
- Foldable design
- Magnetic suction
- Touch LED light
- 15W wireless fast charging

## Specification

- Dimensions: 68.5\*60\*66 mm
- 1.Input: TYPE-C
- 2.Input voltage/current: 9V-4A
- 3.Wireless charging power:15/10W/7.5W/5W
- 4.Apple/Samsung Watch output power: 2.5W
- 5.Airpod/Galaxy bud wireless charger position: 3W
- 6.Working frequency: 110-205Khz, 127K/360KHz, 325KHz

# Qi2 3 In 1 Wireless Charger



**Model: EQ222**    **Qi ID: 21648**

## Features

- 3 In 1: Charge phone, watch, airpod simultaneously
- Aluminium material
- Magnetic suction
- LED indicating light
- 15W wireless fast charging

## Specification

- Dimensions: 70\*107.5\*117 mm
- 1.Input: TYPE-C
- 2.Input voltage/current: 9V/3A
- 3.Wireless charging power:15/10W/7.5W/5W
- 4.Apple/Samsung Watch output power: 2.5W
- 5.Airpod/Galaxy bud wireless charger position: 3W
- 6.Working frequency: 110-205Khz, 127K/360KHz, 325KHz

# Qi2 3 In 1 Wireless Charger



**Model: ET800C**


## Features

- 3 In 1: Charge phone, watch, airpod simultaneously
- Foldable design
- Magnetic suction
- Display with time, alarm, temperature, charging status
- 15W wireless fast charging

## Specification

- Dimensions: 118x60x29 mm
- 1. Input interface: TYPE-C
- 2. Product material: ABS + PC
- 3. Input voltage/current: 9V-3A PD/QC3.0
- 4. Wireless charging power: 15/10W/7.5W/5W
- 5. Apple Watch output power: 2.5W
- 6. Airpod/TWS wireless charger position: 5W
- 7. Frequency: 110-205Khz, 127K/360KHz, 325KHz
- 8. Conversion efficiency: > 80%
- 9. Charging distance: 2-6 mm

# Wireless Charger w/Cooling fan



**Model: EX51**

## Features

- Magnetic wireless charging for Phone
- Cooling fan - 3 grade
- RGB led light
- Foldable and rotatable metal stand

## Specification

- Dimension:  $\Phi 60 \times 20$  mm
- Magnetic suction
- Input type-c: 9V/2A 5V/2A
- Output Phone (magnet): 15W / 10W / 7.5W / 5W
- Working Distance:  $\leq 6$ mm



# 5 In 1 Wireless Charger



**Model: EH15**

## Features

- 3 In 1: Charge phone, watch, airpod simultaneously
- Foldable design
- Time/Temperature/Humidity display
- LED environmental light
- 15W wireless fast charging



## Specification

- Dimensions: 170\*120\*45/115 mm
- 1.Input: TYPE-C
- 2.Input voltage/current: 9V-2A, 12V-2A
- 3.Wireless charging power: 15/10W/7.5W/5W
- 4.Apple/Samsung Watch output power: 2.5W
- 5.Airpod/Galaxy bud wireless charger position: 5W
- 6.Working frequency: 110-205Khz



# 3 In 1 Wireless Charger



**Model: ES71**

## Features

- 3 In 1: Charge phone, watch, airpod simultaneously
- Foldable design
- Magnetic suction
- Fabric texture
- 15W wireless fast charging

## Specification

- Dimensions: 140\*105\*19.5 mm
- 1.Input: TYPE-C
- 2.Input voltage/current: 12V/2A
- 3.Wireless charging power:15/10W/7.5W/5W
- 4.Apple/Samsung Watch output power: 2.5W
- 5.Airpod/Galaxy bud wireless charger position: 3W
- 6.Working frequency: 110-205Khz

# 4 In 1 Wireless Charger



**Model: EX548**


## Features

- 3 In 1: Charge phone, watch, airpod simultaneously
- Foldable design
- Magnetic suction
- Turntable stand
- LED light

## Specification

- Dimensions: 110\*110\*135.45 mm
- 1. Input interface:TYPE-C
- 2. Input voltage/current: 5V-3A, 9V-2A, 12V-1.5A
- 3. USB-A output: 5V-2A
- 4. Wireless charging power:15/10W/7.5W/5W
- 5. Apple/Samsung Watch output power: 2.5W
- 6. Airpod/Galaxy bud wireless charger position: 3 W
- 7. Working frequency: 110-205Khz

# 4 In 1 Wireless Charger



**Model: ET900**

## Features

- 3 In 1: Charge phone, watch, airpod simultaneously
- Foldable design
- Magnetic suction
- LED light

## Specification

- Dimensions: 107\*90\*30 mm
- 1. Input interface:TYPE-C
- 2. Input voltage/current: 5V-2A, 12V-2.22A
- 3. Wireless charging power:15/10W/7.5W/5W
- 4. Apple/Samsung Watch output power: 3W
- 5. Airpod/Galaxy bud wireless charger position: 5 W
- 6. Working frequency: 110-205Khz

# 4 In 1 Wireless Charger



**Model: ET700**

## Features

- 3 In 1: Charge phone, watch, airpod simultaneously
- Zinc alloy housing
- Magnetic suction
- Extra USB-A output
- LED light



## Specification

- Dimension: 105\*106\*136 mm
- 1. Input interface: TYPE-C
- 2. Product material: Zinc alloy + PC + Led
- 3. Input: 12V-2A \ 9V-2A
- 4. Extra USB-A output: 5V-1A
- 5. Wireless charging power: 15/10W/7.5W/5W
- 6. iwatch output power: 5W (For original Apple watch port )
- 7. Airpod/TWS wireless charger position: 3W
- 8. Working frequency: 100-205Khz
- 9. Touch LED light

# 5 In 1 Wireless Charger



**Model: ET216**

## Features

- 3 In 1: Charge phone, watch, airpod simultaneously
- Universal for both Apple and Samsung watch
- Magnetic suction
- LED light
- USB A(5V-2A) output
- Dimmable LED light

## Specification

- Dimensions: 176.5\*118\*85 mm
- 1.Input interface:TYPE-C
- 2.Input voltage/current: 9V-4A, 12V-2.5A
- 3.USB-A output: 5V-2A
- 4.Wireless charging power:15/10W/7.5W/5W
- 5.Apple/Samsung Watch output power: 3W
- 6.Airpod/Galaxy bud wireless charger position: 5 W
- 7.Working frequency: 110-205Khz

# 2 In 1 Wireless Charger



**Model: ET600**

## Features

- 2 Coils wireless charger: Vertical or horizontal charging
- Display: Year, Date, Time, Alarm, Temperature
- Cooling fan
- Extra USB-A output

## Specification

- Dimension: 72\*112\*135mm
- 1. Charging Type: Electro-magnetic induction
- 2. Charging distance: 3-8mm
- 3. working frequency: 110KHZ ~ 205KHZ
- 4. USB-C Input 5V/2.0A; 9V/ 1.8A ; 12V/1.5A
- 5. Wireless Output: 5W/7.5W/10W/15W (Max)
- 6. USB-A output: 5V/1A

# 2 In 1 Wireless Charger



**Model: ES300D**

## Features

- 2 In 1: Charge phone, airpod simultaneously
- 2 coils 15W fast charging
- LED indicating light



## Specification

- Dimension: 73\*82\*121 mm
- 1. Coil: 2 Coils
- 2. Charging Type: Electro-magnetic induction
- 3. Charging Style: one to one in active area
- 4. Charging distance: 3-8mm
- 5. working frequency: 110KHZ ~ 205KHZ
- 6. Power Input 5V/2.0A; 9V/ 1.8A ; 12V/1.5A
- 7. Wireless Output: 5W/7.5W/10W/15W

# Slim Wireless Charger



**Model: ET200**

## Features

- Super Slim design - 6.2mm
- 15W fast charging
- LED indicating light



## Specification

- Dimension: 99(diameter)\*6.2 mm
- Charging Type: Electro-magnetic induction
- Charging Style: one to one in active area
- Charging distance: 3-8mm
- working frequency: 110KHZ ~ 205KHZ
- Power input: 5V/2.0A; 9V/ 1.8A ; 12V/1.5A
- Wireless Output: 5W/7.5W/10W/15W



# Slim Wireless Charger



## Model: EQ9

### Features

- Super Slim design - 5mm
- Aluminium alloy housing
- Magnetic suction
- 15W fast charging
- LED indicating light



### Specification

- Dimension: 57(diameter)\*5 mm
- Input: 5V-2A,9V-2A,12V-1.67A
- Power: 15W/10W/7.5W/5W

# Qi2 Wireless Car Charger



**Model: EC810C (Qi ID: 21141)**

## Features

- Qi2 Magnetic wireless car charger
- Strong Magnetic suction(up to 940g)
- **3 InstallationOptions:**
  - (1) Vent clip
  - (2) Dash mount
  - (3) Window mount



vent clip



vent clip



dash mount



dash mount

## Specification

- Input interface:TYPE-C
- Product material: aluminium alloy +ABS/PC
- Input voltage/current: 9V-2.22A PD/QC3.0
- Wireless charging power:15W/10W/7.5W/5W  
Working frequency: 110-205Khz, 127K/360 KHz
- Conversion efficiency: > 80%
- Charging distance: 3-6 mm
- Dimensions:  $\Phi 60 \times 30$  mm

# qi2 Semiconductor cooling Wireless Car Charger



**Model: EC810F Qi ID: 21714**

## Features

- Semiconductor refrigerating panel(front): Instant cooling
- Cooling fan(back)
- Magnetic suction
- LED RGB colorful light
- Sensor working control(only refrigerating & cooling during charging)
- **3 InstallationOptions:**
- (1) Vent clip (2) Dash mount (3) Window mount



vent clip



vent clip



dash mount



dash mount

## Specification

- Product material: Aluminium alloy + ABS/PC
- Input interface:TYPE-C
- Power input: PD/QC3.0 9V/3A
- Working frequency: 110-205Khz
- Conversion efficiency: > 80%
- Charging distance: 3-6 mm
- Wireless charging power: 15W
- Dimensions:  $\Phi 60 \times 30 \text{ mm} / \Phi 60 \times 45.6 \text{ mm}$

# Qi2 Wireless Car Charger



**Model: EX12**    **Qi ID: 21254**

## Features

- Qi2 certified
- Magnetic suction
- Bendable bar
- LED RGB colorful strip
- **3M tape + velcro design**

## Specification

- Qi2 Magnetic Wireless Car charger/mount
- Dimension: 224.5 x 59.5 x 18mm
- 1. Input interface: TYPE-C
- 2. Product material: aluminium alloy +ABS/PC
- 3. Input voltage/current: 9V-2.2A /PD/QC3.0
- 4. Wireless charging power: 15/10W/7.5W/5W
- 5. Working frequency: 110-205Khz, 127K/360 KHz
- 6. Conversion efficiency: > 80%
- 7. Charging distance: 2-6 mm

# Auto-clamp Wireless Car Charger



**Model: EX9**

## Features

- Auto-clamp Car Wireless Charger
- Aluminium alloy housing
- LED RGB colorful strip
- Air vent clip or Dash mount or Window Mount



## Specification

- Dimension: 67\*115\*96.5mm
- 1. Input interface: TYPE-C
- 2. Product material: aluminium alloy +ABS/PC
- 3. Input voltage/current: 9V-2/5V-2A /PD/QC3.0
- 4. Wireless charging power: 15/10W/7.5W/5W
- 5. Working frequency: 110-205Khz, 127K/360 KHz
- 6. Conversion efficiency: > 80%
- 7. Charging distance: 2-6 mm

# Auto-clamp Wireless Car Charger



**Model: EX8**

## Features

- Auto-clamp Car Wireless Charger
- Aluminium alloy housing
- LED RGB colorful strip
- Air vent clip or Dash mount or Window Mount

## Specification

- Dimension: 69\*130\*125 mm
- 1 .Input interface:TYPE-C
- 2. Product material: aluminium alloy +ABS/PC
- 3. Input voltage/current: 9V-2/5V-2A /PD/QC3.0
- 4. Wireless charging power:15/10W/7.5W/5W
- 5. Working frequency: 110-205Khz, 127K/360 KHz
- 6. Conversion efficiency: > 80%
- 7. Charging distance: 2-6 mm

# Qi2 Wireless Power Bank



**Model: EP-I20**    **Qi ID: 21848**

## Features

- **Qi2** Magnetic Wireless Power bank
- **10000** mAh polymer Lithium battery
- 15W Fast charging & 30W(max) Type C output
- Battery level indication
- Foldable stand

## Specification

Dimension: 105 x 67 x 20 mm

- 1. Type C Input: 5V/3A, 9V/2A, 12V/1.5A
- 2. Type C output: 5V/3A, 9V/2A, 12V/1.5A, 15V-2A
- 3. Wireless output: 5W / 7.5W / 10W / 15W
- 4. Battery level indication: 3 leds
- 5. Foldable stand - horizontal or vertical support
- 6. 10000 mAh Lithium polymer battery

# 3 IN 1 Wireless Power Bank



## Model: EP-C15

### Features

- 3 in 1 Magnetic Wireless Power bank
- 3.7V/**5000** mAh polymer Lithium battery
- Detachable wireless power bank with foldable stand
- phone, watch and earbud simultaneous charging
- Foldable & Battery status display

### Specification

Dimension: 75 x 131.6 x 41.8 mm

- 1. Type C Input: 9V/3A, 12V/2A
- 2. Power bank Type C input: 5V/3A, 9V/2A
- 3. Power bank Type C Output: 5V/3A, 9V/2A
- 4. Wireless output: 5W / 7.5W / 10W / 15W
- 5. earbud output: 5W
- 6. watch output: 1-3W



# Ultra Slim Wireless Power Bank

0.95cm



**Model: EP-C22**

## Features

- Super Slim Magnetic Wireless Power bank
- 3.7V/**5000** mAh polymer Lithium battery
- Battery status display
- Aluminium alloy housing

## Specification

Dimension: 66 x 105 x 9.55 mm

- 1. Compatible with MagSafe
- 2. Type C Input: 5V/3A, 9V/2A
- 3. Type C Output: 5V/3A, 9V/2A
- 4.. Wireless output: 5W / 7.5W / 10W / 15W

# Ultra Slim Wireless Power Bank

1.45cm



**Model: EP-C26**

## Features

- Slim Magnetic Wireless Power bank
- 3.7V/**10000** mAh polymer Lithium battery
- Battery status display
- Aluminium alloy housing

## Specification

- Dimension: 66 x 105 x 14.5 mm
- 1. Compatible with MagSafe
- 2. Type C Input: 5V/3A, 9V/2A
- 3. Type C Output: 5V/3A, 9V/2A
- 4.. Wireless output: 5W / 7.5W / 10W / 15W

# Wireless Power Bank



## Model: EP-A90

### Features

- Magnetic Wireless Power bank
- 3.7V/**5000** mAh polymer Lithium battery
- Foldable stand
- Battery status display
- Aluminium alloy housing

### Specification

Dimension: 98 x 65 x 16.5 mm

- 1. Compatible with MagSafe
- 2. Type C Input: 5V/3A, 9V/2A, 12V/1.5A
- 3. Type C Output: 5V/3A, 9V/2A, 12V/1.5A
- 4. USB-A Output: 5V/3A, 9V/2A, 12V/1.5A
- 5. Wireless output: 5W / 7.5W / 10W / 15W

# Wireless Power Bank



**Model: EP-A77**

## Features

- Magnetic Wireless Power bank
- 3.7V/**10000** mAh polymer Lithium battery
- Foldable stand
- Battery status display
- Aluminium alloy housing

## Specification

Dimension: 104 x 68 x 19 mm

- 1. Compatible with MagSafe
- 2. Type C Input: 9V/3A, 12V/2.5A
- 3. Type C Output: 5V/3A, 9V/2A, 12V/1.67A
- 4. USB-A Output: 5V/3A, 9V/2A, 12V/1.5A, 5V/4.5A, 4.5V/5A
- 5. Wireless output: 5W / 7.5W / 10W / 15W

# Wireless Power Bank



**Model: EP-A2701 5000 mAh**

## Features

- Magnetic Wireless Power bank
- 3.7V/**5000** mAh polymer Lithium battery
- Foldable stand
- Battery status display

## Specification

Dimension: 100 x 62 x 18 mm

- 1. Compatible with MagSafe
- 2. Type C Input: 5V/3A, 9V/2A, 12V/1.5A
- 3. Input port: Type C
- 4. Type C Output: 5V/3A, 9V/2A, 12V/1.5A
- 5. USB-A Output: 5V/3A, 9V/2A, 12V/1.5A
- 6. Wireless output: 5W / 7.5W / 10W / 15W

# Wireless Power Bank



**Model: EP-A2701 10000 mAh**

## Features

- Magnetic Wireless Power bank
- 3.7V/**10000** mAh polymer Lithium battery
- Foldable stand
- Battery status display



## Specification

Dimension: 110.1 x 68.4 x 17.4mm

- 1. Compatible with MagSafe
- 2. Type C Input: 5V/3A, 9V/2A, 12V/1.5A
- 3. Input port: Type C
- 4. Type C Output: 5V/3A, 9V/2A, 12V/1.5A
- 5. USB-A Output: 5V/3A, 9V/2A, 12V/1.5A, 5V/4.5A, 4.5V/5A
- 6. Wireless output: 5W / 7.5W / 10W / 15W

# Wireless Power Bank



**Model: EP-A2701 20000 mAh**

## Features

- Magnetic Wireless Power bank
- 3.7V/**20000** mAh polymer Lithium battery
- Foldable stand
- Battery status display
- Dimension: 110.5 x 69 x 31mm



## Specification

Dimension: 110.5 x 69 x 31mm

- 1. Compatible with MagSafe
- 2. Type C Input: 5V/3A, 9V/2A, 12V/1.5A
- 3. Input port: Type C
- 4. Type C Output: 5V/3A, 9V/2A, 12V/1.5A
- 5. USB-A Output: 5V/3A, 9V/2A, 12V/1.5A, 5V/4.5A, 4.5V/5A
- 6. Wireless output: 5W / 7.5W / 10W / 15W

# 20W Multi-port Wall Charger



**Model: EULD202HL**

## Features

- 20W PD fast charge
- 18W QC fast charger
- 2 ports smart distribution(1\*USB-A + 1\*Type C)
- plug options: US/UK/EU/AU

## Specification

- Input: 100~240V/50~60Hz, 0.5A Max
- Output:
  - USB-A: 5.0V== 3.0A, 9.0V== 2.0A, 12.0V == 1.5A
  - USB-C: 5.0V== 3.0A, 9.0V== 2.22A, 12.0V== 1.67A
  - PPS: 3.3-5.9V== 3.0A, 3.3-11.0V== 1.8A
  - USB-A+USB-C: 5.0V== 3.0A
- Total Output: 20.0W Max



# GaN 25W Multi-port Wall Charger



**Model: EGaN25AC**

## Features

- 33W PD Fast Charge
- 2 ports smart distribution(1\*USB-A + 1\*Type C)
- plug options: US/UK/EU/AU

## Specification

- 25W PPS fast charge
- 18W QC fast charger
- 2 ports smart distribution(1\*USB-A + 1\*Type C)
- plug options: US/UK/EU/AU
  
- Input: 100~240/50~60Hz, 0.5A Max
- Output options:
  - 1. USB-A: 5V-3A/9V-2A/12V-1.5A
  - 2. USB-C: 5V-3A/9V-2.77A/12V-2.08A
    - PPS: 3.3~11V-2.27A
  - 3. USB-A+USB-C: 5V-3A
  
- Total Output: 25W

# GaN 33W Multi-port Wall Charger



**Model: EGaN33AC**

## Features

- 33W PD Fast Charge
- 2 ports smart distribution(1\*USB-A + 1\*Type C)
- plug options: US/UK/EU/AU

## Specification

- Input: 100-240V/50~60Hz, 0.8A Max
- Output options:
  - 1. USB-C: 5V-3A/9V-3A/12V-2.5A/15V-2A/20V-1.5A
  - PPS: 3.3~11V-3A
  - 2. USB-A: 5V-3A/9V-2A/12V-1.5A
  - 3. USB-C+USB-A: 5V-4A
- Total Output: 33.0W

# GaN 35W Multi-port Wall Charger



**Model: EGaN35AC**

## Features

- 35W high speed universal: tablet, phone, earbud, etc.
- 2 ports smart distribution(1\*USB-A + 1\*Type C)
- plug options: US/UK/EU/AU

## Specification

- Input: 100-240V/50~60Hz, 1A Max
- Output:
- 1.USB-C: 5V-3A/9V-3A/12V-2.5A/15V-2.33A/20V-1.75A
- PPS: 3.3~5.9V-3A, 3.3~11V-3A
- 2.USB-A: 5V-3A/9V-2A/12V-1.5A
- 3. UAB-A+USB-C: 12W+20W
- Total Output: 35.0W

# GaN 45W Multi-port Wall Charger



**Model: EGaN453L**

## Features

- 45W high speed universal: tablet, phone, earbud, etc.
- 3 ports/2 ports smart distribution(1\*USB-A + 2\*Type C/1\*Type C)
- Plug(Options: US/UK/EU/AU)

## Specification

- Input: 100-240/50~60Hz, 1.2A Max
- Output options:
- 1. USB-C1: 5V-3A/9V-3A/12V-3A/15V-3A/20V-2.25A
- PPS: 3.3-21V-2.25A
- 2.USB-C2: 5V-3A/9V-2.22A/12V-1.67A
- 3.USB-A: 5V-3A/9V-2A/12V-1.5A
- 4.USB-C1+USB-C2: 30W+15W(5V-3A)
- 5. USB-C1+USB-A: 30W+12W(5V-2.4A)
- 6. USB-C2+USB-A: 15W(5V-3A)
- 7. USB-C1 +(USB-C2+USB-A): 30W +15W(5V-3A)
- Total Output: 45W

# GaN 65W Multi-port Wall Charger



**Model: EGaN653L**

## Features

- 65W high speed universal: laptop, tablet, phone, earbud, etc.
- 3 ports smart distribution (1\*USB-A + 2\*Type C)
- Plug (Options: US/UK/EU/AU)

## Specification

- Input: 100-240/50~60Hz, 1.5A Max
- Output:
  - 1. USB-C1: 5V-3A/9V-3A/12V-3A/15V-3A/20V-3.25A
  - PPS: 3.3~21V-3.25A
  - 2. USB-C2: 5V-3A/9V-2.22A/12V-1.67A
  - PPS: 3.3~11V-1.65A
  - 3. USB-A: 5V-3A/9V-2A/12V-1.5A
  - 4. USB-C1+C2: 45W+20W
  - 5. USB-A+USB-C1: 18W+45W
  - 6. USB-A+USB-C2: 15W(5V-3A)
  - 7. USB-C1+(USB-A+USB-C2): 45W+15W(5V-3A)
- Total Output: 65.0W

# GaN 67W Multi-port Wall Charger



**Model: EGaN6722**

## Features

- 67W high speed universal: laptop, tablet, phone, earbud, etc.
- 4 ports smart distribution(2\*USB-A + 2\*Type C)
- Plug(Options: US/EU)

## Specification

- Input: 100-240V~50/60Hz, 1.5A Max
- Output: USB-A1/A2: 5.0V= 3.0A, 9.0V= 3.0A, 12.0V= 3.0A, 20.0V= 3.0A
- USB-C1/C2: 5.0V= 3.0A, 9.0V= 3.0A, 12.0V= 3.0A, 15.0V= 3.0A, 20.0V= 3.35A
- PPS: 3.3V-11.0V= 5.0A
- USB-C1+(USB-C2/USB-A1/USB-A2): 45.0W+18.0W
- USB-C2+(USB-A1/USB-A2): 45.0W+18.0W
- USB-A1+USB-A2: 15.0W(5.0V= 3.0A)
- USB-C1+USB-C2+USB-A1/USB-A2: 30.0W+20.0W+15.0W(5.0V= 3.0A)
- USB-C1/USB-C2+(USB-A1+USB-A2): 40.0W+15.0W(5.0V= 3.0A)
- USB-C1+(USB-C2+USB-A1+USB-A2): 40.0W+22.5W
- Total Output: 67.0W Max
- Size: US: 62.7x29.2x60.8mm
- N/W: US: 154g

# GaN 67W Multi-port Wall Charger



**Model: EGaN6731**

## Features

- 67W high speed universal: laptop, tablet, phone, earbud, etc.
- 4 ports smart distribution(1\*USB-A + 3\*Type C)
- Plug(Options: US/EU)

## Specification

- Input: 100-240V~50/60Hz, 1.5A Max
- Output: USB-C1/C2/C3: 5.0V== 3.0A, 9.0V== 3.0A, 12.0V== 3.0A, 15.0V== 3.0A, 20.0V== 3.35A
- PPS: 3.3V-11.0V== 5.0A
- USB-A: 5.0V== 3.0A, 9.0V== 3.0A, 12.0V== 3.0A, 20.0V== 3.0A
- USB-C1+(USB-C2/USB-C3/USB-A): 45.0W+18.0W
- USB-C2+(USB-C3/USB-A): 45.0W+18.0W
- USB-C3+USB-A: 15.0W(5.0V== 3.0A)
- USB-C1+USB-C2+USB-C3/USB-A: 30.0W+20.0W+15.0W(5.0V== 3.0A)
- USB-C1/USB-C2+(USB-C3+USB-A): 40.0W+15.0W(5.0V== 3.0A)
- USB-C1+(USB-C2+USB-C3+USB-A): 40.0W+22.5W
- Total Output: 67.0W Max
- Size: US: 62.7x29.2x60.8mm
- N/W: US: 154g



## Shenzhen EPQI Technology Co., Ltd.

**Contact us:**



E-mail: [sales@epqi.cn](mailto:sales@epqi.cn)



Tel: 0086 755 82592915



Website: <http://www.epqi.cn>



Address: Floor 6-9, Building 7, zhongyuntai Industrial Park, Yingrenshi Road Crossing, Shiyan Town, Bao'an District, Shenzhen